



where precision is needed

CL 165 Sheeter

*MODULAR, HIGH-TECH AND WITH A FAST
RETURN ON INVESTMENT*



Scan and visit our website

www.pasaban.com



where precision is needed

+34 943 65 16 32
comercial@pasaban.com

CL 165 Sheeter

The CL Sheeter is the optimal solution for converting or printing plants that require high-production and the best sheeting quality for an affordable price.

This sheeter allows a quick return of investment thanks to its high technological capabilities and high speed production. It is a modular machine that can be installed in few days.



STANDARD FEATURES

- › Two reels unwinder
- › Brake Control
- › Decurling equipment
- › Slitting
- › Pulling section
- › Synchro cross-cutting system
- › Reject gate
- › Advanced overlapping group
- › Sheet counting
- › Jam detection system
- › Frontal stack equalizing equipment
- › Side separators and back-stops
- › Stacking table with electric decline
- › Safety Equipment (following CE rules)
- › Deceleration and automatic start from the reel

AVAILABLE OPTIONS

- › Splice detector
- › Web guider
- › Trim removal system
- › Dust suction
- › Tab inserter
- › Connection to central computer
- › Cut to register (water mark / printed mark)
- › 2 unwinding sets and 2 additional web guiders



High quality of final product



Low operational cost



Low maintenance

REEL DIMENSIONS

Max. width	1700 mm
Min. width	400 mm
Max. diameter	1850 mm
Min. diameter	500 mm

FORMAT DIMENSIONS

Max. width	1650 mm
Min. width	300 mm
Max. length	1650 mm
Min. length	400 mm

STACK DIMENSIONS



Max. height (incl. Pallet)	1.500 mm
----------------------------	----------

SPEED

Max. Speed	300 m/min
------------	-----------

ADDITIONAL INFORMATION

- › Sheeting length accuracy: $\pm 0,38\text{mm}$ per 1000mm (single web) / $\pm 0,5\text{mm}$ per 1000mm (multiple webs)
- › Sheet angle accuracy: $\pm 0,38\text{mm}$ per 1000mm
- › Maximum sheet load: 1000 g/m²
- › Air consumption: 800L / min
- › Trim: Min = 10mm / Max = 100mm
- › Noise level: Less than 85 db.
- › Power specs: 3Ph 50/60HZ / KW = depending on options included.
- › Safety: Highest standard in the market according to CE.



Service



Upgrades



Online Assistance



Machine relocation



Maintenance



Spare parts



In-house training

In **Pasaban** we care about accompanying and advising our customers professionally, not only during the whole purchase process, but also after the sale through our Technical Service. We consider it essential that the customer's experience with our machines is unbeatable because we understand that by doing so we improve their competitiveness while giving meaning to our purpose as a company.

For this reason, we offer the most robust and precise converting machinery on the market, ensuring a very low operating and maintenance cost.

Our commitment to our customers is to ensure that those key indicators are fully guaranteed: format length, format width, automatic sheet rejection with splicing, free of surface marks, dust free, high stacking quality and more. All this on a continuous basis, at operating speeds that no other supplier is able to reach, always guaranteeing excellent performance and high satisfaction that will contribute to ensure a low operating cost per ton produced in sheets.

We are aware of the importance of offering a professional after-sales service, with always reasonable prices in both services and spare parts, because this contributes to make our customers more competitive and helps them in achieving profits in their business. Our service network is composed of professionals with decades of experience who will advise you and help you efficiently in solving problems. Either through remote connections for which all our machines are prepared, or through different types of services always adapted to your real need.



Auzo-txikia, 17,
Apdo.53 | 20400
Tolosa - Spain

www.pasaban.com



Pasaban Machines



Pasaban S.A



@PasabanMachines

+34 943 65 16 32
comercial@pasaban.com